

Restoration Products Guide: Water, Fire, Lead & Mold



About Abatement Technologies

For more than 25 years companies throughout North America have relied on Abatement Technologies for HEPA filtration systems with industry-leading quality, performance and reliability. Today, Abatement offers disaster restoration professionals a much broader line of structural drying products engineered to increase productivity, profitability and safety.

These products feature high performance drying equipment developed by our product engineering team, as well as a carefully selected line of other equipment and consumables that restoration companies use every day. Large inventories of these products are in stock in our U.S. and Canadian warehouses, available for fast, same-day shipment at factory-direct prices. And our knowledgeable U.S. and Canadian sales and customer support teams are available to assist you.



Table of Contents

PREDATOR® & BULLDOG® Roto-Molded Portable Air Scrubbers	1
HEPA-AIRE® Stainless Steel Portable Air Scrubbers	2 - 3
PREDATOR® & HEPA-AIRE® Replacement Filters & Accessories Chart	3
RAPTOR® Centrifugal Air Movers	4
RAPTOR® High-Volume Axial Air Movers	5
Meters, Monitoring Instruments & Thermal Imaging Cameras	6 - 7
MEGA-PUMP High-Volume Water Extraction System	8
Portable HEPA Vacuums	8
Lead RRP Compliance Kits	9
Personal Protective Equipment (PPE)	10
Bio-Reveal® Portable Microbial Detection System	11
Vaportek® Odor Control Products	11
Professional Restoration Series Bio-Based Chemicals	12
Foster® Encapsulating Coatings	13
Containment Products	14

PREDATOR® & BULLDOG® Roto-Molded Portable Air Scrubbers

PREDATOR and BULLDOG Portable Air Scrubbers feature ultra-tough and easy-to-clean rotational-molded polymer housings made from a UL94HB flame-retardant resin with EPA-registered microbial growth and UV inhibitors. Each non-electrostatic micro-glass HEPA filter is individually tested and certified at rated airflow to ensure it provides 99.97% or higher filtration efficiency against 0.3 micron particles, and all models below are ETL certified to conform to UL and CSA safety and flammability standards.

PREDATOR 600 Portable Air Scrubber (PRED600)

- Variable speed airflow: 200 cfm - 600 cfm
- 6 Air changes per hour (ACH) for 5,000-6,000 cubic foot spaces
- Weight: 34 pounds
- Peak power draw: 2.4 amps or less, daisy-chain up to 5 units per 15A circuit
- Controls: Variable speed switch; green “unit on” indicator lamp; amber “change filter” indicator lamp; 25’ power cord; GFCI-protected receptacles (2)
- Filter stages:
 - (1) 1”-deep coarse particulate pre-filter (MERV 4)
 - (2) 2”-deep pleated particulate pre-filter (MERV 8) or a VAPOR-LOCK® carbon filter for odor adsorption (not sold with unit)
 - (3) 99.97% HEPA filter



PREDATOR 1200 Portable Air Scrubber (PRED1200)

- Upright design with built-in transport dolly for added mobility
- Variable speed airflow: 300 cfm - 900 cfm
- 6 Air changes per hour (ACH) for 7,500-9,000 cubic foot spaces
- Weight: 70 pounds
- Peak power draw: 3.5 amps or less, daisy-chain up to 3 units per 15A circuit
- Recessed controls: Variable speed switch; “unit on”, “change pre-filter” & “change HEPA” indicator lamps; hour meter; GFCI-protected receptacles (2)
- Filter stages:
 - (1) 1”-deep coarse particulate pre-filter (MERV 4)
 - (2) 2”-deep pleated particulate pre-filter (MERV 4)
 - (3) 2”-deep VAPOR-LOCK® high-capacity carbon odor filter (not supplied with unit)
 - (4) 99.97% HEPA filter



BULLDOG Roto-Molded Negative Air Machine (BD2KLV)

- Box-style negative air machine design, mounted on four 4” casters
- Variable speed airflow: 600 cfm - 1,800 cfm
- 6 Air changes per hour (ACH) for 16,500 - 18,000 cubic foot spaces
- Weight: 105 pounds
- Peak power draw: 6.5 amps or less at high speed
- Filter stages:
 - (1) 1”-deep ring panel pre-filter (MERV 7)
 - (2) 2”-deep pleated particulate filter (MERV8) or a VAPOR-LOCK® carbon filter for odor adsorption (not sold with unit)
 - (3) 99.97% mini-pleat HEPA filter



*Airflow ratings are based on third party testing conducted @ 120 VAC with clean filters in accordance with generally accepted testing methods using highly accurate electronic flow measurement equipment. Different testing methods may produce higher or lower results. Ratings have been rounded off to the nearest 50 cfm for convenience.

HEPA-AIRE® Stainless Steel Portable Air Scrubbers

HEPA-AIRE scrubber models feature attractive 20-gauge stainless steel cabinets fabricated using ultra-strong aircraft type solid rivet construction. These impressive air filtration systems also feature a non-electrostatic micro-glass HEPA filter that is individually tested and certified to a minimum efficiency of 99.97% against 0.3 micron particles. All models are ETL certified to conform with applicable UL and CSA safety and flammability standards.

HEPA-AIRE 600 Portable Air Scrubber (PAS600)

- Variable speed airflow: 200 cfm - 600 cfm
- 6 Air changes per hour (ACH) for 5,000 - 6,000 cubic foot spaces
- Weight: 46 pounds
- Peak power draw: 2.4 amps or less, daisy-chain up to 5 units per 15A circuit
- Controls: Variable speed control switch; power “on” lamp; hour meter; amber “change filter” lamp; and GFCI-protected receptacles
- Filter stages:
 - (1) 1”-deep coarse particulate pre-filter (MERV 4)
 - (2) 2”-deep pleated pre-filter (MERV 8) or a VAPOR-LOCK® carbon filter for odor adsorption (not sold with unit)
 - (3) final stage 99.97% metal-frame HEPA filter



HEPA-AIRE 1200 Portable Air Scrubber (PAS1200)

- Upright design with built-in transport dolly
- Variable speed airflow: 300 cfm - 900 cfm
- 6 Air changes per hour (ACH) for 7,500 - 9,000 cubic foot spaces
- Weight: 85 pounds
- Peak power draw: 3.5 amps or less, daisy-chain up to 3 units per 15A circuit
- Controls: Green “unit on”, amber “change pre-filter” and “change HEPA” indicator lamps; variable speed control switch; hour meter; & GFCI-protected receptacles (2)
- Filter stages:
 - (1) 1”-deep coarse particulate pre-filter (MERV 4)
 - (2) 2”-deep pleated pre-filter (MERV 8)
 - (3) 2”-deep VAPOR-LOCK carbon odor adsorption filter (not supplied with unit)
 - (4) 99.97% metal frame HEPA filter



HEPA-AIRE 1600 Standard Portable Air Scrubber Model (PAS1600S)

- Lowest cost per cfm upright model with built-in transport dolly
- Two airflow speeds: 1,000 cfm on low / 1,600 cfm on high
- 6 Air changes per hour (ACH) for 14,500 - 16,000 cubic foot spaces
- Weight: 124 pounds
- Peak power draw: 7 amps or less at high speed
- Controls: High/low speed selector switch; 5” magnehelic gauge; hour meter
- Filter stages:
 - (1) 1”-deep ring panel pre-filter (MERV 7)
 - (2) 2”-deep pleated particulate filter (MERV 8)
 - (3) 2”-deep VAPOR-LOCK® carbon odor adsorption filter (not supplied with unit)
 - (4) 6”-deep high performance mini-pleat HEPA (12”-deep replacement HEPA optional)



HEPA-AIRE 1600 High-Performance Portable Air Scrubber (PAS1600SHS)

- Maximum airflow: 1,900 cfm
- Maximum static: 4.7" due to high-speed, backward curved blower
- 6 Air changes per hour (ACH) for 17,500 - 19,000 cubic foot spaces
- Weight: 131 pounds
- Peak power draw: 8.5 amps or less
- Controls: On/Off switch; 5" magnehelic pressure gauge; hour meter
- Filter stages:
 - (1) 1"-deep ring panel pre-filter (MERV 7)
 - (2) 2"-deep pleated particulate filter (MERV 8)
 - (3) 2"-deep VAPOR-LOCK® carbon odor adsorption filter (not supplied with unit)
 - (4) 6"-deep high performance mini-pleat HEPA (12"-deep replacement HEPA optional)



HEPA-AIRE 2400 Ultra-High Performance Portable Air Scrubber (PAS2400)

- High-speed motor & powerful backward curved blower: the highest performance 120V/15A air scrubber available
- Two airflow speeds: 700 cfm on low / 2,100 cfm on high
- 6 Air changes per hour (ACH) for 18,000 - 21,000 cubic foot spaces
- Weight: 170 pounds
- Two-module cabinet design
- Peak power draw: 12 amps or less
- Filter stages:
 - (1) 1"-deep coarse particulate pre-filter (MERV 4)
 - (2) 2"-deep pleated pre-filter (MERV 8)
 - (3) 2"-deep VAPOR-LOCK® high-capacity carbon odor adsorption filter (not supplied with unit)
 - (4) a 99.97% metal frame mini-pleat style HEPA filter with metal frame



PREDATOR® and HEPA-AIRE® Replacement Filters & Accessories Chart

FILTER OR ACCESSORY (Bold Type Filters Come With Unit)	PRED600	PRED1200	BD2KLV	PAS600	PAS1200	PAS1600S PAS1600SHS	PAS2400
Stage 1: Large Particle Filter	F621-12	F621-12	H2003	F621-12	F621-12	H2003	F1821-12
Stage 2:							
MERV 8 Pleated Particle Filter (Std)	H502-6	H502-6	H2002-12	H502-6	H502-6	H2002-12	H1902-12
500+ Gm VAPOR-LOCK® Carbon (Opt)	VL1002-6	VL1002-6	VL2024-6	VL1002-6	VL1002-6	VL2024-6	VL2002-6
200+ Gm VAPOR-LOCK® Carbon (Opt)	VL602-6	VL602-6	N/A	VL602-6	VL602-6	N/A	N/A
Stage 3: 500+ Gm VAPOR-LOCK® Carbon	N/A	VL1002-6	N/A	N/A	VL1002-6	VL2024-6	VL2002-6
Final Stage: True 99.97% HEPA Filter	H161606-99	H610C-99	H242406-99	H610C-99	H610C-99	H24240699DG	H2418-99
Lay Flat Inlet Ducting, 500' Roll	H2015-12	H2015-12	H2015-12	H2015-12	H2015-12	H2015-12	H2015-12
Clear Wire-Reinforced Mylar, 25'	H2020-10	H2020-10	H2020-12	H2020-08	H2020-10	H2020-12	H2020-12
Heavy Duty Wire-Reinforced PVC	H2030-10	H2030-10	H2030-12	H2030-08	H2030-10	H2030-12	H2030-12
Locking Flex Duct Attachment Clamp	H2350-10	H2350-10	H2350-12	H2350-08	H2350-10	H2350-12	H2350-12

Note: Only bold-faced items come with the base unit. All others must be purchased separately.

RAPTOR® Centrifugal Air Movers (RAM1000D)

Designed and built for rugged use by water restoration professionals, the powerful deluxe model RAPTOR Air Movers from Abatement Technologies feature: ultra-tough and easy-to-clean rotational-molded housings made from a tough polymer resin that contains EPA registered UV and microbial growth inhibitors; low amperage draw; two operating speeds; GFCI-protected daisy chaining receptacles; and a 25-foot power cord with convenient cord wrap. All RAPTOR air movers are ETL certified to conform with stringent UL and CSA safety and flammability standards.

Rugged Construction

- Rotational-molded polymer housing

Excellent Airflow

- High velocity: 2,850 fpm @ high speed
- Air volume: 1,125 cfm @ high speed

Low Amperage Draw

- 2.8 Amps (high speed) / 2.2 amps (low speed)

Daisy Chaining Capability (Deluxe Model)

- Dual, GFCI-protected receptacles
- 10A Circuit breaker
- 4 Units draw only 11A combined on a 15A circuit
- Standard model also available (RAM1000S)

Convenience Features

- Attached 25-foot power cord with grounded plug
- Built-in cord wrap
- Low-profile, recessed controls
- High / Off / Low 3-position switch
- Ergonomic handle
- Perfect weight balance: Weighs only 25 pounds
- Three operating positions: Horizontal, 45 degrees & vertical
- Cabinets are interlocking & stackable
- Rubber feet protect surfaces & eliminate vibration

Safety Certified for the U.S. & Canada

- ETL certified to conform with UL & CAN/CSA safety & flammability standards

Multiple Colors

- Blue and red are standard
- Custom color available by special order (minimum order quantities apply)

Private Label Models

- Private label orders are welcome (minimum quantities apply)



Contact us for special colors and private label programs for RAPTOR Air Movers.

RAPTOR® High-Volume Axial Air Movers (RAM3000D)

RAPTOR RAM3000 Deluxe Axial Air Movers from Abatement Technologies provide exceptional water restoration drying performance. They deliver almost 3,500 cfm of high velocity airflow right where you need it for fast, effective structural drying. When used with in-place or non-disruptive drying methods, RAPTOR Axial Air Movers are powerful enough to effectively dry sub-surface materials such as carpet pads and subflooring without having to remove the surface materials first, yet draw less than 3 amps.

Rugged Construction

- Rotational-molded polymer housing

Excellent Airflow

- High volume airflow: 3,450 cfm on high / 2,300 cfm on low

Low Amperage Draw

- 2.8 Amps (high speed) / 2.3 amps (low speed)

Daisy Chaining Capability (Deluxe Model)

- Dual, GFCI-protected receptacles
- 10A Circuit breaker
- 4 Units draw only 11A combined on a 15A circuit
- Standard model also available (RAM3000S)

Convenience Features

- Attached 25-foot power cord with grounded plug
- Built-in cord wrap
- Low-profile, recessed controls
- High / Off / Low 3-position switch
- Ergonomic handle
- Perfect weight balance: Weighs only 32 pounds
- Multiple operating positions for optimum drying performance
- Optional stand available to target drying power (RAM-STAND)
- Cabinets are interlocking & stackable
- Rubber feet protect surfaces & eliminate vibration

Safety Certified for the U.S. & Canada

- ETL certified to conform with UL & CAN/CSA safety & flammability standards

Multiple Colors

- Blue and red are standard
- Custom colors available by special order (minimum order quantities apply)

Private Label Models

- Private label orders are welcome (minimum quantities apply)



Meters, Monitoring Instruments & Thermal Imaging Cameras

Navigator PRO Moisture Meter Package (DNAPROPRPK)

- 3-in-1 Meter: Thermohygrometer, pin and pinless moisture readings
- Advanced job definition: Up to 5 jobs with unique job numbers
- Stored readings can be downloaded to a PC spreadsheet
- Measure moisture in drywall, insulation, wood, concrete & plaster
- Package includes: Hammer probe, insulation probes & drywall probes
- Simplified controls for quick & easy use
- One year limited warranty



TechCheck PLUS Moisture Meter Package (DTECHKPK)

- Seamless integration of pin and pinless moisture measurement modes
- Pin mode: 0.1% - 50% drywall scale; 5% - 60% MC wood scale
- Attachable insulation pins for inspecting inside of walls
- Spanish language display option
- Sturdy plastic carrying case
- One year limited warranty



BD-2100 Moisture Meter (DBD2100PK)

- Invasive meter
- Powerful, three scales in one: Wood scale; reference scale & gypsum scale
- Digital readout
- Attachable insulation pins for inspecting inside of walls
- One year limited warranty



Gann Hydromette Compact B Moisture Meter (MMG2030)

- Dynamic measuring range: 0 to 100 digits
- Lightweight (8 oz) & compact: Fits in your pocket
- Complete: No separate measuring electrodes or cables needed
- Fully automatic indicator adjustment
- Powered by a 9-volt dry cell or rechargeable battery



EL-USB-2-LCD+ Data Logger (DL-1000)

- Wide measurement range: 0% to 100% RH & -31° F to +176° F
- USB interface: For set-up and data download
- Status indication lamps: Red and green LEDs
- Complete kit: Includes replaceable lithium battery and Windows control software



FLIR b40 Thermal Imaging Camera (IRC-FRB40)

- Picture-in-picture fusion technology: Displays thermal image super-imposed over a digital image
- Dew point alarm: Displays areas where surface condensation shows a potential for mold growth
- Insulation alarm: Identifies insufficient insulation in buildings
- 3.5" LCD: Razor sharp 14,400 pixel resolution
- Optimized temperature range: Measures from -4°F to 248°F
- Storage capacity: 100 GB micro SD card stores more than 1,000 radiometric JPEG images



Extech™ i5 Thermal Imaging Camera (IRC-FRI5)

- Fixed lens with focus-free feature for ease of use
- Bright 2.8" LCD color display
- Li-Ion rechargeable battery: 5 hours of continuous use
- Mini SD card: Stores standard radiometric JPEG images
- Heat measurement range: From 32°F to 482°F



SureTest® Universal Circuit Analyzer (CA1000)

- Handheld circuit analyzer: Safely determines estimated load on line
- Versatile: Performs other electrical tests to identify potential wiring problems
- Bright display
- Accurate
- Lightweight: Weighs only 9.4 ounces



MEGA-PUMP High-Volume Water Extraction System (MP3000)

- High capacity extraction: Up to 3,600 gallons of liquid per hour (60 gpm)
- Powerful: Discharges removed water up to 23' vertically or 300' horizontally
- Three operating modes
 - (1) Combination pump & wet/dry vacuum mode: Pumps out standing water, separates solids from the liquid and discharges filtered water
 - (2) Pump only mode: Pumps out standing water and discharges unfiltered water
 - (3) Wet/dry vacuum only mode: Captures solids and liquids in the 19-gallon tank



Portable HEPA Vacuums

Canister Style Wet/Dry HEPA Vac (V8000WD)

- Exceptional wet/dry performance: 120 cfm and 90" static lift
- Portable, compact & lightweight design: 22 pounds
- Durable polyethylene cabinet
- 1.6 HP motor
- True 99.97%+ efficiency HEPA filter
- Comes with complete tool set
- 8 Gallon tank capacity



Hip-Mounted HEPA Vac (V1300H)

- Ergonomic and ultra-lightweight: 6.4 pounds
- 0.8 HP blower motor
- Powerful: 100 cfm airflow & 95" static lift
- Dry vac only



Nine Quart Canister HEPA Vac (V2000D)

- Weight: Only 13.9 pounds
- Powerful: 106 cfm & 98.4" static lift
- Dry vac only
- Quiet: Only 60 dBA
- Power cord: 50'
- 9 Quart tank capacity



Lead RRP Compliance Kits

Protect Yourself Package (RRP-PYS)

- N100 masks, 5/cs (RS100-100)
- XL protective suits, 5/cs (DC2300WXL1)
- XL nitrile gloves, 100 pair/cs (DG5000XL)
- Anti-fog goggles, 1/ea (PPR-AFGOG)

Protect Your Crew Package (RRP-PYC)

- N100 masks, 3 cases of 5/ea (RS100-100)
- XL protective suits, 25/cs (DC2300WXL)
- XL nitrile gloves, 100 pair/cs (DG5000XL)
- Anti-fog goggles, 3/ea (PPR-AFGOG)

Contain Yourself Package (RRP-CYS)

- ZipWall package (HCZP4)
- 4 Mil poly, 10' x 100', 1/cs (DS8000-H)
- 3 Mil black garbage bags, 35" x 50", 50/cs (DB3560B)
- Sticky mats, 1/cs of 4 packs - 30 mats per pack (SM2436C)
- UV blue painters tape, 6 rolls/cs (P-505)

Basic RRP Jobsite Package (RRP-BASIC)

- 9 Quart HEPA vacuum system with tool set (V200D)
- Beater brush for vacuum (V2022)
- Lead test kit (RRP-TK)
- N100 masks, 5/cs (RS100-100)
- XL protective suits, 5/cs (DC2300WXL1)
- XL nitrile gloves, 100 pair/cs (DG5000XL)
- Anti-fog goggles, 1/ea (PPR-AFGOG)

Standard RRP Jobsite Package (RRP-STAND)

- 9 Quart HEPA vacuum system with tool set (V200D)
- Beater brush for vacuum (V2022)
- Lead test kit (RRP-TK)
- N100 masks, 5/cs (RS100-100)
- XL protective suits, 5/cs (DC2300WXL1)
- XL nitrile gloves, 100 pair/cs (DG5000XL)
- Anti-fog goggles, 1/ea (PPR-AFGOG)
- ZipWall package (HCZP4)
- 4 Mil poly, 10' x 100', 1/cs (DS8000-H)
- 3 Mil black garbage bags, 35" x 50", 50/cs (DB3560B)
- Sticky mats, 1/cs of 4 packs - 30 mats per pack (SM2436C)
- UV blue painters tape, 6 rolls/cs (P-505)

Deluxe RRP Jobsite Package (RRP-DELUXE)

- PREDATOR 600 portable air scrubber (PRED600)
- 8 Gallon HEPA vacuum with tool set (V8000WD)
- Beater brush for vacuum (V54118)
- Lead test kit (RRP-TK)
- N100 masks, 5/cs (RS100-100)
- XL protective suits, 5/cs (DC2300WXL1)
- XL nitrile gloves, 100 pair/cs (DG5000XL)
- Anti-fog goggles, 1/ea (PPR-AFGOG)
- ZipWall package (HCZP4)
- 4 Mil poly, 10' x 100', 1/cs (DS8000-H)
- 3 Mil black garbage bags, 35" x 50", 50/cs (DB3560B)
- Sticky mats, 1/cs of 4 packs - 30 mats per pack (SM2436C)
- UV blue painters tape, 6 rolls/cs (P-505)



Personal Protective Equipment (PPE)

White Breathable Suit (DC2300W)

- Attached hood & boots with plain wrists
- Individually packed: 25/case
- XL, 2X, 3X, 4X & 5X ANSI sizes

White Heavy-Duty Suit (DC3300B)

- Attached hood & boots with elastic wrists & gathered waist
- Individually packed: 25/case
- L, XL, 2X, 3X & 4X ANSI sizes
- * Not pictured

Polypropylene Shoe Covers (DC550)

- Non-skid bottom with snug ankle fit
- Light blue color
- Sizes XL & 2X
- Packaging: 300 pieces (150 pair)/case

Nitrile Gloves (DC5000)

- Powder-free nitrile gloves
- Sizes M, L & XL
- Packaging: Sold in boxes of 100 each/box

Nitrile Gloves (DC4000)

- Flock-lined nitrile gloves
- Sizes M, L & XL
- Packaging: 12 pair/case
- * Not pictured

Anti-Fog Safety Goggles (PPR-AFGOG)

- One size fits all
- Packaged 1/case

NIOSH N95 Rated Mask with Exhalation Valve (RS920-EVC)

- Universal: One size fits all
- Packaging: Sold in boxes of 10 masks

HandyStrap® N100 Disposable Particulate Respirator (RS100-100)

- N100 filtration: EPA approved for RRP lead work
- Ventex® valve: Lets hot air out faster
- Packaging: Five respirators per case

North® Full Face Respirator (NR5400)

- Oval nasal cup: Reduces fogging & lessens dead air space
- Chin cup: Helps to position facepiece properly
- Hard-coated polycarbonate lens: 200° Field of vision
- Available in small and medium/large sizes
- Compatible with all North cartridges, filters & accessories

North® Full Face Respirator (NR7600)

- Dual flange silicone seal: Superior fit & protection
- Speaking diaphragm: Makes communication easy
- 200° Field of vision
- Oval nasal cup: Reduces fogging
- Available in small and medium/large sizes
- Compatible with all North cartridges, filters & accessories

North® Half Mask Respirator (NR7700)

- Soft, non-allergenic silicone facepiece: Conforms to facial features
- Minimal dead air space: Improves worker comfort
- Available in S, M & L
- Compatible with all North cartridges, filters & accessories



Bio-Reveal Portable Microbial Detection System (BRSSIII)

- Effective measurement tool: Measure initial microbial contamination level of water/sewer impact on surfaces & building materials
- Documents effectiveness of post-remediation surface cleaning & disinfection
- Fast: Real-time results in just 15 seconds
- Accurate: +5% variability
- Economical: More than 90% less costly than other testing methods
- Easy-to-use: Simple “pass/fail” or numeric readings
- Data management software included



Vaportek® Odor Control Products

- Scientifically-Formulated Natural Essential Oil Compounds for Non-Toxic Odor Control
- Patented “Dry Vapor” Technology Eliminates Problematic Gels, Sprays & Foggers
- Ozone Free for a Safe, Healthy Alternative to Ozone-Generating Equipment
- No Respirators, Special Equipment or Training Required

Restorator Odor Neutralizer (VT905000)

- Large coverage area: Treats up to 20,000 cubic feet
- Replaceable cartridges: Rated for up to 270 hours of service
- Five year limited warranty
- UL Listed



VaporSHARK Industrial Odor Control System (VT900950VS)

- Large coverage area: Treats up to 50,000 cubic feet
- Durable aluminum case
- Holds up to 5 VaporSHARK membranes



Heavy Duty Standalone S.O.S. (Smoke Odor Solution) Deodorizer Cartridge (VT90220085)

- Scientifically formulated for smoke odors
- One S.O.S cartridge per case



Professional Restoration Series Bio-Based Chemicals

Rochester Midland® Professional Restoration Series (PRS) products provide users with a safer and greener alternative to petroleum-based chemicals and other harsh cleaners by using beneficial microbes to clean and deodorize biologically.

PRS Water Damage Preclean (RC11905227)

- Eliminates odors within the affected location
- Effectively liquefies solids in black water losses
- Starts with organic digestion process in all areas with sustained moisture
- Near neutral pH: Easy on workers and the environment



PRS Water Damage Post Clean (RC11904927)

- Advanced cleaning technology: Penetrates porous materials & hard to reach places
- Liquefies organic solids into water & carbon dioxide
- No hazardous ingredients
- Near neutral pH (6.9 - 7.9): Easy on workers and the environment



ENVIRO CARE® Neutral Disinfectant (RC12001227)

- Cleans, disinfects and deodorizes
- Kills bacteria (Bactericidal)
- Destroys viruses (Virucidal)
- Kills fungi and fungal spores (Fungicidal)
- Effective against HIV-1 (AIDS virus)
- Effective against Hepatitis B & C virus
- Near neutral pH: Non-corrosive on finishes



PRS Fuel Oil Cleaner (RC11904827)

- Environmentally-friendly solution for removal of hydrocarbon soils & odors
- Non-toxic to humans
- Biologically-based ingredients: Non-corrosive and non-reactive
- Near neutral pH (7.0 - 9.5)



PRS Fire & Content Cleaner (RCX1905327)

- Engineered specifically for removing fire, smoke & soot residues
- Provides heavy-duty content cleaning on hard surfaces
- Digests smoke, soot & other organic soils caused by fire & water damage
- All-natural & non-toxic to workers & occupants
- Deep cleaning properties activate immediately on contact
- Treated surfaces can be wiped clean or rinsed with water



Foster® Encapsulating Coatings

Foster Disinfectant and Fungicidal Protective Coatings help restore and protect structures from mold, mildew and bacteria growth resulting from flood and natural disasters. Foster products are preferred by contractors and specified by industrial hygienists because of their long term, proven performance and reliability.

First Defense™ Disinfectant and Odor Remover (K6-4080)

- Convenient, ready-to-use EPA registered formula
- Kills odor-causing bacteria and inhibits the growth of mold and mildew
- Designed for use in water damage restoration and for clean-up of mold and microbe impacted porous and non-porous materials
- Ships full strength: Ready to use



Full Defense™ Fungicidal Protective Coating (K6-4025)

- EPA registered coating: Kills residual mold & mildew
- Protects surfaces from mold regrowth
- High coverage, breathable coating: Designed to provide long term fungicidal protection
- May be applied to damp building materials to protect them during the drying process



Sheer Defense™ Mold Resistant Clear Coat (K6-4051)

- Mold resistant clear coat: Provides excellent resistance to mold growth during and after mold remediation, construction & remodeling
- Appearance: White when wet & dries to a clear finish allowing the original surface to be visible
- Finish: Water resistant, flexible and crack resistant



Fungicidal Protective Coating for HVAC Duct Systems (K6-4020)

- EPA registered antimicrobial coating for HVAC duct systems
- Appearance: Tough, elastic, decorative finish is resistant to most industrial chemicals
- Ultra-flexible to allow for movement without splitting or fracturing



Containment Products

ZipWall® Temporary Construction Barrier (HC4PL)

- Build various enclosure sizes and shapes
- Fast & easy assembly
- Adjustable twist & lock poles
- Use with barriers up to 8 mil
- Kit includes: 2 ea. rails (HCFR2), 4 ea. poles (HCKT12), 4 ea. grip disks (HCGD2), 2 ea. zippers (HCAZ12) & 1 ea. carry bag (HCCB1)



Poly Hangers (PHC101)

- Supports poly sheeting from ceiling grids
- Simple to install, remove and reuse
- Prevents damage to building from fasteners or tape



Visit our website

www.abatement.com/restoration

Find us on FACEBOOK®



Check out our videos on YouTube®



Follow us on twitter®



© 2010, Abatement Technologies, Inc. All Rights Reserved. No reproduction of any portion of this advertisement is permitted without the express written permission of Abatement Technologies, Inc. All illustrations and specifications contained in this advertisement are based on the latest product information available at the time of printing. Abatement Technologies reserves the right to (1) make changes at any time, without notice, to product designs, specifications, materials and colors, (2) to introduce new models to the marketplace and, (3) discontinue products as it sees fit. Restoration Catalog 12_10



US: 800-634-9091

Canada: 800-827-6443